


MATERIAL SAFETY DATA SHEET



SECTION 1) : Chemical Product and Manufacturer's Identification

Product ID : 5-XXX
Product Name : WOODCRAFT RETAIL FILLSTICK "ALL COLORS"
Revision Date : 05/07/2013
Manufacturer's Name : TOUCH-UP SOLUTIONS
Address :

Emergency Phone : 1-800-535-5053
Information Phone : 828-428-9094
Date Printed : 05/07/2013
Contact Name : TROY PAIT

Product uses :

Error: Subrenort could not be shown

SECTION 3) Composition, Information on Ingredients

CAS Number	Chemical Name	% by Weight
0001309-37-1	FERRIC OXIDE	0.165%
0001314-23-4	ZIRCONIA OXIDE	0.050%
0001317-34-6	MANGANESE TRIOXIDE	0.025%
0001317-61-9	BLACK IRON OXIDE	0.170%
0001317-63-1	IRON BROWN HEMATITE	0.500%
0001333-86-4	CARBON BLACK	1.567%
0001344-28-1	ALUMINUM OXIDE	0.175%
0007631-86-9	SILICA, AMORPHOUS	0.025%
0008002-74-2	PARAFFIN WAX FUME	20.529%
0013463-67-7	TITANIUM DIOXIDE	2.250%
0014808-60-7	SILICA, CRYSTALLINE	0.029%
0051274-00-1	YELLOW IRON OXIDE	0.165%
0064742-43-4	Clay Treated Petroleum , Paraffin Wax	73.904%

SECTION 4) First Aid Measures

EYES:

Flush eyes with plenty of water for at least 20 minutes. Get medical attention, if irritation persists. Always use an eye wash to remove a chemical from your eye regardless of the level of hazard.

SKIN:

Immediately flush skin with plenty of water. Remove clothing. Get medical attention immediately. Wash clothing separately before reuse.

INGESTION:

If swallowed, DO NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Get medical attention immediately.

SECTION 5) Fire and Explosion Hazards

FIRE FIGHTING INSTRUCTIONS:

Hazardous Combustion Products: Carbon monoxide, Carbon dioxide, Toxic gases, Hydrogen cyanide, & Nitrogen containing gases.

Fire Hazards: None Known

Hazardous Combustion Products: Carbon monoxide

SECTION 6) Accidental Release

ACCIDENTAL RELEASE MEASURES:

General Methods: None Known

SECTION 7) Handling and Storage

HANDLING:

Handling: Wash thoroughly after handling

STORAGE:

Store in a cool dry place. Isolate from incompatible materials

SECTION 8) Exposure Controls, Personal Protection

ENGINEERING CONTROLS:

Engineering Controls: No exposure limits exist for the constituents of this product. General room ventilation might be required to maintain operator comfort under normal conditions of use.

PERSONAL PROTECTION - RESPIRATORY:

Respiratory Tract: No respiratory protection required under normal conditions of use

PERSONAL PROTECTION - EYE:

No special requirements under normal industrial use

Exposure Regulation	OSHA				ACGIH				CANADA			
	TWA		STEL		TWA		STEL		TWA		STEL	
	ppm	mg	ppm	mg	ppm	mg	ppm	mg	ppm	mg	ppm	mg
Components												
FERRIC OXIDE		[10]; [15]; [5];				5 (R)				10,5a		
ZIRCONIA OXIDE		5				5		10				
MANGANESE TRIOXIDE		5 ceiling				0.2						
CARBON BLACK		3.5				3 (I)				3.5		7
ALUMINUM OXIDE		[15]; [5 (a)];				1 (R)				10,5a		20
SILICA, AMORPHOUS	20 (b)	80 mg/m3 percent SiO2+2								2.5a		
PARAFFIN WAX FUME						2				2		6
TITANIUM DIOXIDE		15				10				10,5a		
SILICA, CRYSTALLINE	a	[10 mg/m3 percent SiO2+2 / 250 percent SiO2+5 mppcf]; [30 mg/m3 percent SiO2+2];				0.025 (R)				0.1;0.3c		
Clay Treated Petroleum , Paraffin Wax	500	2000										

SECTION 9) Physical and Chemical Properties

Summary:

See below

Physical Properties

Density : 9.07 lb/gal Specific Gravity : 1.09
 % Solids by Weight : 98.00% % Solids by Vol : 0.00%
 Density VOC : 0.00 lb/gal Density HAPS : 0.00 lb/gal Density VHAPS : 0.00 lb/gal
 % VOC : 0.00% % HAPS : 0.00% % VHAPS : 0.00%
 lb VOC/lb Solid : 0.00 lb HAPS/lb Solid : 0.00 lb VHAPS/lb Solid : 0.00
 lb VOC/gal Solid : 0.00 lb HAPS/gal Solid : 0.00 lb VHAPS/gal Solid : 0.00

VOC Actual [lb/gal] : 0.00 VOC Regulatory [lb/gal] : 0.00
 VOC Actual [g/l] : 0.00 VOC Regulatory [g/l] : 0.00

HMIS	
Health :	1
Flammability :	0
Reactivity :	0
Protection :	E
Chronic :	<input type="checkbox"/>

Evap Rate : Autoignition Temp : 0

SECTION 10) Stability and Reactivity**CONDITIONS TO AVOID:**

Stability Information: Stable under normal conditions.
 Contamination. High temperatures

HAZARDOUS DECOMPOSITION PRODUCTS:

Hazardous Polymerization will not occur

SECTION 11) Toxicological Information

0001333-86-4 CARBON BLACK

LC50 (rat): 6750 mg/m3 (4-hour exposure); cited as 27000 mg/m3 (27 mg/L) (1-hour exposure) (3)

SECTION 12) Ecological Information**ECOLOGICAL INFORMATION:**

This product is not expected to persist in the environment.

SECTION 13) Disposal Consideration**DISPOSAL CONSIDERATIONS:**

Dispose of in a landfill. Disposal is not likely to be regulated

SECTION 14) Transport Information**TRANSPORT INFORMATION:**

DOT Non-regulated

SECTION 15) Regulatory Information

CAS	Chemical Name	% By Weight	Regulation List
0001309-37-1	FERRIC OXIDE	0.1651%	IARCCarcinogen
0001317-34-6	MANGANESE TRIOXIDE	0.0250%	SARA313,CA_TOX,CA_Carcinogen
0001333-86-4	CARBON BLACK	1.5669%	IARCCarcinogen,CA_TOX,CA_Carcinogen
0001344-28-1	ALUMINUM OXIDE	0.1750%	SARA313,CA_TOX
0007631-86-9	SILICA, AMORPHOUS	0.0250%	IARCCarcinogen
0013463-67-7	TITANIUM DIOXIDE	2.2504%	IARCCarcinogen
0014808-60-7	SILICA, CRYSTALLINE	0.0289%	IARCCarcinogen,CA_TOX,CA_Carcinogen

SECTION 16) Other Information

OTHER:

COMPANY INFORMATION: THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED, EXCEPT THAT IS ACCURATE TO THE BEST KNOWLEDGE OF TOUCH-UP SOLUTIONS LLC.

COMPANY DISCLAIMER: THE DATA ON THIS SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN. TOUCH-UP SOLUTIONS LLC ASSUMES NO LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON THIS DATA.

Part 1: The information contained in this MSDS was obtained from current and reliable sources, however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy.

Part 2: Since the conditions or handling, storage and disposal of this product are beyond the control of Touch-Up Solutions LLC. Touch-Up Solutions LLC will not be responsible for loss, injury, or expense arising out of the products improper use.

Part 3: No warranty, expressed or inferred, regarding the product described in this MSDS shall be created or inferred by any statement in this MSDS.

Part 4: Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is responsible for full compliance.

DISCLAIMER

Touch-Up Solutions, Inc. to the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.
