

# Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

## 1 Identification

- **Product identifier**
- **Trade name:** H2OLOX - Satin
- **Product code:** TB 2001
- **Other means of identification:** WATERLOX WATERBASED SEALER/FINISH
- **Recommended use and restriction on use**
- **Recommended use:** Paint / Coatings
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Waterlox Coatings Corporation  
9808 Meech Avenue  
CLEVELAND, OH 44105  
(216) 641-4877
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**
- Skin Irrit. 2 H315 Causes skin irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- Carc. 2 H351 Suspected of causing cancer.
- Repr. 2 H361 Suspected of damaging fertility or the unborn child.
- STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

---

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS07 GHS08

- **Signal word:** Danger

- **Hazard statements:**

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H351 Suspected of causing cancer.  
 H361 Suspected of damaging fertility or the unborn child.  
 H372 Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

- **Precautionary statements:**

P201 Obtain special instructions before use.

(Cont'd. on page 2)

# Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

**Trade name: H2OLOX - Satin**

(Cont'd. of page 1)

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 If on skin: Wash with plenty of soap and water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

	Trade Secret Emulsifier ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	<10%
	Trade Secret Phenolic modified resin ⚠ Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1, H317	<10%
8052-41-3	Stoddard solvent ⚠ Flam. Liq. 3, H226 ⚠ STOT RE 1, H372; Asp. Tox. 1, H304	<5%
64742-47-8	Distillates (petroleum), hydrotreated light ⚠ Flam. Liq. 3, H226 ⚠ Asp. Tox. 1, H304 ⚠ STOT SE 3, H336	<5%
61789-51-3	Naphthenic acids, cobalt salts ⚠ Carc. 2, H351; Repr. 2, H361 ⚠ Skin Sens. 1, H317	<1%
95-63-6	1,2,4-trimethylbenzene ⚠ Flam. Liq. 3, H226 ⚠ Asp. Tox. 1, H304 ⚠ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	<1%
8050-09-7	Rosin ⚠ Skin Sens. 1, H317	<1%
8007-24-7	Cashew Nutshell Oil ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1A, H317	<1%
3164-85-0	Potassium 2-ethylhexanoate ⚠ Repr. 2, H361 ⚠ Eye Dam. 1, H318 ⚠ Skin Irrit. 2, H315	<1%

(Cont'd. on page 3)

# Safety Data Sheet




Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

**Trade name: H2OLOX - Satin**

(Cont'd. of page 2)

	Phosphoric acid, mixed esters with partially fluorinated alcohol, ammonium salts	<1%
	 Acute Tox. 1, H330  STOT SE 1, H370	
	Partially fluorinated alcohol substituted glycol	<1%
	 STOT RE 2, H373	

· **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.  
 For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air; consult doctor in case of complaints.  
 Provide oxygen treatment if affected person has difficulty breathing.  
 In case of irregular breathing or respiratory arrest provide artificial respiration.  
 In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately remove any clothing soiled by the product.  
 Immediately wash with water and soap and rinse thoroughly.  
 If skin irritation is experienced, consult a doctor.

· **After eye contact:**

Remove contact lenses if worn.  
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.  
 Do not induce vomiting; immediately call for medical help.  
 A person vomiting while lying on their back should be turned onto their side.

· **Most important symptoms and effects, both acute and delayed:**

Headache  
 Breathing difficulty  
 Coughing  
 Allergic reactions  
 Causes skin irritation.  
 Slight irritant effect on eyes.  
 Gastric or intestinal disorders when ingested.  
 Nausea in case of ingestion.

· **Danger:**

Suspected of causing cancer.  
 Suspected of damaging fertility or the unborn child.  
 Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

· **Indication of any immediate medical attention and special treatment needed:**

Contains Trade Secret Phenolic modified resin, Cashew Nutshell Oil, Naphthenic acids, cobalt salts, Rosin. May produce an allergic reaction.  
 Treat skin and mucous membrane with antihistamine and corticoid preparations.

## 5 Fire-fighting measures

(Cont'd. on page 4)

# Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

**Trade name: H2OLOX - Satin**

(Cont'd. of page 3)

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.  
Particular danger of slipping on leaked/spilled product.
- **Environmental precautions**  
Do not allow to enter sewers/ surface or ground water.  
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up**  
Towel or mop up material and collect in a suitable container.  
For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.  
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling:**  
Use only in well ventilated areas.  
Avoid contact with the eyes and skin.  
Keep out of reach of children.  
Open and handle receptacle with care.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**  
Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Store away from oxidizing agents.
- **Specific end use(s)** No relevant information available.

(Cont'd. on page 5)

# Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Satin

(Cont'd. of page 4)

## 8 Exposure controls/personal protection

### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

##### 8052-41-3 Stoddard solvent

PEL (USA)	Long-term value: 2900 mg/m <sup>3</sup> , 500 ppm
REL (USA)	Long-term value: 350 mg/m <sup>3</sup> Ceiling limit value: 1800* mg/m <sup>3</sup> *15-min
TLV (USA)	Long-term value: 525 mg/m <sup>3</sup> , 100 ppm
EL (Canada)	Short-term value: 580 mg/m <sup>3</sup> Long-term value: 290 mg/m <sup>3</sup>
EV (Canada)	Long-term value: 525 mg/m <sup>3</sup>
LMPE (Mexico)	Long-term value: 100 ppm

##### 64742-47-8 Distillates (petroleum), hydrotreated light

EL (Canada)	Long-term value: 200 mg/m <sup>3</sup> Skin
-------------	--

##### 95-63-6 1,2,4-trimethylbenzene

REL (USA)	Long-term value: 125 mg/m <sup>3</sup> , 25 ppm
TLV (USA)	Long-term value: 123 mg/m <sup>3</sup> , 25 ppm

##### 111-84-2 nonane

REL (USA)	Long-term value: 1050 mg/m <sup>3</sup> , 200 ppm
TLV (USA)	Long-term value: 1050 mg/m <sup>3</sup> , 200 ppm
EL (Canada)	Long-term value: 200 ppm
EV (Canada)	Long-term value: 1,050 mg/m <sup>3</sup> , 200 ppm
LMPE (Mexico)	Long-term value: 200 ppm

##### 8050-09-7 Rosin

TLV (USA)	DSEN, RSEN, L
EL (Canada)	S(D), S(R)
LMPE (Mexico)	SEN, (L)

#### · Ingredients with biological limit values:

##### 100-41-4 ethylbenzene

BEI (USA)	0.7 g/g creatinine Medium: urine Time: end of shift at end of workweek Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative) - Medium: end-exhaled air Time: not critical Parameter: Ethyl benzene (semi-quantitative)
-----------	---

### · Exposure controls

#### · General protective and hygienic measures:

(Cont'd. on page 6)

# Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

**Trade name: H2OLOX - Satin**

(Cont'd. of page 5)

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· **Engineering controls:** No relevant information available.

· **Breathing equipment:**

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Eye protection:**



Safety glasses

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment**

No relevant information available.

· **Risk management measures** No relevant information available.

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Appearance:**

· **Form:** Liquid

· **Color:** Milky white/brown

· **Odor:** None

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Melting point/Melting range:** Not determined.

· **Boiling point/Boiling range:** 150 - 199 °C (302-390.2 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Auto-ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits**

(Cont'd. on page 7)

# Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Satin

(Cont'd. of page 6)

Lower:	Not determined.
Upper:	Not determined.
· Oxidizing properties:	Non-oxidizing.
· Vapor pressure:	Not determined.
· Density:	
Relative density:	0.987
Vapor density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with Water:	Soluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· VOC content:	170 g/L
· Other information	No relevant information available.

## 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with strong oxidizing agents.
- **Conditions to avoid** Excessive heat.
- **Incompatible materials** Oxidizers
- **Hazardous decomposition products**  
Under fire conditions only:  
Carbon monoxide and carbon dioxide  
Hydrocarbons

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.

### LD/LC50 values that are relevant for classification:

#### 64742-47-8 Distillates (petroleum), hydrotreated light

Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.

(Cont'd. on page 8)

# Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Satin

(Cont'd. of page 7)

- **On the eye:** Slight irritant effect on eyes.
- **Sensitization:** Sensitization possible through skin contact.
- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer):**

100-41-4	Ethylbenzene	2B
98-82-8	Cumene	2B
91-20-3	Naphthalene	2B
61789-51-3	Naphthenic acids, cobalt salts	2B

- **NTP (National Toxicology Program):**

98-82-8	Cumene	R
91-20-3	Naphthalene	R

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:**

Ingestion.  
Eye contact.  
Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Suspected of causing cancer.
- **Reproductive toxicity:** Suspected of damaging fertility or the unborn child.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:**  
Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity**  
Harmful to aquatic life with long lasting effects.

**Phosphoric acid, mixed esters with partially fluorinated alcohol, ammonium salts**

LC50	>117 mg/l (Oncorhynchus mykiss)
EC50	>22.6 mg/l (daphnia)

**Partially fluorinated alcohol substituted glycol**

LC50	36.7 mg/l (Oncorhynchus mykiss)
EC50	28.8 mg/l (daphnia)

- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:** Avoid release to the environment.
- **Other adverse effects** No relevant information available.

(Cont'd. on page 9)



# Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Satin

(Cont'd. of page 8)

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**

- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **UN-Number**

- DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

- **UN proper shipping name**

- DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

- **Transport hazard class(es)**

- DOT, ADR/RID/ADN, IMDG, IATA
- Class Not regulated.

- **Packing group**

- DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

- **Environmental hazards**

- Marine pollutant: No

- **Special precautions for user**

- Not applicable.

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

- Not applicable.

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **United States (USA)**

- **SARA**

- **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 313 (Specific toxic chemical listings):**

(Cont'd. on page 10)

# Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

**Trade name: H2OLOX - Satin**

(Cont'd. of page 9)

None of the ingredients are listed.

**· TSCA (Toxic Substances Control Act)**

All ingredients are listed or exempt.

**· Proposition 65 (California)****· Chemicals known to cause cancer:**

Present in trace quantities.

100-41-4 Ethylbenzene

98-82-8 Cumene

91-20-3 Naphthalene

**· Chemicals known to cause developmental toxicity for females:**

Present in trace quantities.

80-05-7 bisphenol A

**· Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**· EPA (Environmental Protection Agency):**

95-63-6 1,2,4-trimethylbenzene

II

**· IARC (International Agency for Research on Cancer):**

61789-51-3 Naphthenic acids, cobalt salts

2B

100-41-4 Ethylbenzene

2B

98-82-8 Cumene

2B

91-20-3 Naphthalene

2B

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Date of preparation / last revision** March 14, 2019 / -**· Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety &amp; Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 1: Acute toxicity – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Cont'd. on page 11)

# Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

**Trade name: H2OLOX - Satin**

(Cont'd. of page 10)

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1A: Skin sensitisation – Category 1A  
Carc. 2: Carcinogenicity – Category 2  
Carc. 2: Carcinogenicity – Category 2  
Repr. 2: Reproductive toxicity – Category 2  
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2  
Asp. Tox. 1: Aspiration hazard – Category 1

**Sources**

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))  
Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do))  
Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))  
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6  
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.  
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:  
ChemTel Inc.  
1305 North Florida Avenue  
Tampa, Florida USA 33602-2902  
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: [www.chemtelinc.com](http://www.chemtelinc.com)